

—**Staking** 1 no. stakes, 1 no. tree tie per pit. Driven into base of pit.

Mulch 75mm depth. Spread with 20mm clearance from base of tree or plants.


-Irrigation System Installed to manufacturer's specification.

-Growing Medium

-Geotextile Geotextile between soil and drainage layer, lapped and folded vertically min. 200mm to side of pit.

Drainage 200-300mm depth layer of 10-12mm washed and graded pebble, profiled as shown, deepest at tree pit edges

Subsoil Subsoil thoroughly ripped to 600mm depth below drainage layer to ensure free drainage and no standing water



6

2500

-Grass seeding _Growing medium Backfilled to min. 250mm depth. -Subsoil De-compacted throughout entire


2500/

seeding area

DATE	REV.	DESCRIPTION	DRAWN BY:	CHECKED BY:	DERMO	TEOL	EY LANDS	SCAP	
22.02.2022	А	Land-drain detail included. Title block revised.	lh	df	MALPAS STREET		DUBLIN 8 IRELAND		
27.06.2022	В	Decorative grills detail included. Title block revised.	lh	tk	CLIENT:		Y COUNTY COU	NCII	
04.07.2022	с	Decorative grills detail included. Title block revised.	lh	tk					
29.07.2022	D	Decorative steel panel detail modified. Title block revised.	lh	df	PROJECT:	PROJECT: SUIR ISLAND GARDENS			
					DRAWING:	TYPICAL L	TYPICAL LANDSCAPE DETAILS		
					PROJECT NO	SCALE	SHEET SIZE	DRAW	
					Ti.02	1:20	A1	lh	

8

2500



DRAWING NO.

28.01.2022

 SHEET SIZE
 DRAWN BY
 CHECKED BY
 1st ISSUE

 A1
 Ih
 Ib
 28.01.2022

Ti.02-DR-2500

REVISION

D

NORTH

SFR 26/ISSUE-01/DF/08.09.2009